Three Garden Products in One!




ACTIVE INGRESIERS Clarified Hydropholds B Other Ingredients.....

KEEP OUT OF REACH OF CAUTION See back panel & precautionary

NET CONTENTS: 32 0Z. (9)

For Organic Gardening!

Three Garden Products In One!



Ulirasion 3.1 RoseGuard

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL INFORMATION

- Multi-purpose fungicide/insecticide/miticide-3 in 1 product.
- Kills eggs, larvae and adult stages of insects.
- Prevents fungal attack of plant tissues.
- Not for use in food-handling areas.
- · Shake well before using.
- Thorough plant coverage is essential to obtain optimal levels of control.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.
- As with other pest control products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small-scale trials prior to use.

Distributed by: Value Garden Supply P.O. Box 585, St. Joseph, MO 64502-0585 (952) 884-6477 EPA Reg. No. 70051-13-192 EPA Est. No. 44616-MO-1

RM 10033-09



ENVIRONMENTAL RAZAROS

Do not apply directly to water. Do not contaminate water when disposing of equipment

BEE HAZARD This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

EUNGICIDE USE: Application instructions

- UltraStop 3-in-1 RoseGuard is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust leaf spot, botrytis, needle rust, scab, and flower, twig and tip blight.
- UltraStop 3-in-1 RoseGuard may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- As a preventative, apply UltraStop 3-in-1 RoseGuard on a 7 to 14 day schedule until the potential for disease development is no longer present. Spray to run off. Complete coverage of all plant tissue is necessary for control.
- To control disease already present, apply UltraStop 3-in-1 RoseGuard on a 7-day schedule until disease pressure is eliminated. Then continue spraying on 14-day schedule to prevent the disease form recurring. Spray to run off. Complete coverage of all plant tissue is necessary for
- To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding.
- To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.
- To prevent black spot on roses, begin applications at first bud emergence in spring. Apply UltraStop 3-in-1 RoseGuard on a 14-day preventative schedule through the spring and fall to prevent disease emergence.

If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the pro	duct container or label with you when calling a poison control center or doctor, or atment. Hotline number 1-800-255-3924.

PREGAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Harmful if inhaled. Avoid breathing spray mist. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

STORAGE & DISPOSAL

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing. Pesticide and Container Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Warranty: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Distributed by Value Garden Supply PO Box 585 St. Joseph, MO 64502-0585 (952) 884-6477

EPA Reg. No. 70051-13-192 EPA Est. No. 44616-M0-1

RM#10033-09

PEEL HERE TO OPEN